




40X53 MM HIGH VELOCITY GRENADE



M212 DUAL PURPOSE
M383 HIGH EXPLOSIVE
M385 PRACTICE



40X53 MM HIGH VELOCITY GRENADE


40X53 mm HEDP

HIGH EXPLOSIVE DUAL PURPOSE SPECIFICATIONS 1

PROJECTILE MATERIAL
FILLER & MASS
PROPELLANT & MASS
PRIMER
FUZE

BLANK & DRAWN STEEL & COPPER CONE
COMP A5, 38 g
M2, 4.55 g
PERCUSSION
PIBD M549





40X53 MM HIGH VELOCITY GRENADE


40X53 mm HEDP

HIGH EXPLOSIVE DUAL PURPOSE

SPECIFICATIONS 2

CARTRIDGE LENGTH	112 mm
CARTRIDGE MASS	370 g
RANGE MAXIMUM	3000 m
MUZZLE VELOCITY	242 m/s
SPIN RATE	12000 R.P.M






40X53 MM HIGH VELOCITY GRENADE

40X53 mm HEDP

HIGH EXPLOSIVE DUAL PURPOSE
SPECIFICATIONS 3

ARMING DISTANCE	18 mm
SELF DESTRUCTION	14 sec
SELF DESTRUCTION	1800 m
PENETRATION MILD STEEL	80 mm
TEMPERATURE LIMITS	-52 °C to + °63 C
MIL-STD	MIL-C-50863C





40X53 MM HIGH VELOCITY GRENADE

40X53 mm HEDP

**HIGH EXPLOSIVE DUAL PURPOSE
PACKING / PACKAGING**

32 LINKED ROUNDS (M16 LINK) / METAL BOX PAL-120

BOX MASS GROSS 16.3 Kg

DIMENSIONS 162 X 264 X 477 mm

HAZARD CLASS

1.1E

UN No. #

0006

