

SW205 (UH-1H)

FOR SALE OVERHAULED AND UPGRADED

SERIAL NUMBER 4374	MANUFACTURED	LOCATION USA
PRICE \$2,750,000 USD	TOTAL TIME 7,286.1 HRS	AVAILABLE 60-120 Days

Pricing includes sea shipment. We can provide as an option on-site pilot(s) and mechanic(s), basic spares package, and training personnel.



AVIONICS

• COMM/GPS/NAV	Garmin
• Transponder	Garmin
• Audio panel	Garmin

EQUIPMENT

- Wire strike protection
- Optional Cargo hook (6,000 lbs.) with load meter
- Optional: External Hoist (600 lbs.)

INTERIOR

- Troop configuration
- Pilot and copilot seats
- Optional: EMS Package (1 Patient) Quick Change 20 mins.

HIGHLIGHTS

- Warranty- 1 Year or 3,000 hour
- Fresh Paint & Fresh Inspection
- 212 M/R Blades & 212 T/R Blades
- BLR FastFin®
- BLR Strakes®
- Optional Extended Warranty- 5 Year or 3,000 hour
- Optional Engine Inlet Barrier Filtration System
- Optional: Fire Fighting Tank (370 gal) Quick Change 25 mins.



Serial Number: 4374
Aircraft Total Time: 7286.1

SW205

N7042N

<u>Nomenclature</u>	<u>Part Number</u>	<u>TSN</u>	<u>TSO</u>	<u>OH/Life Limit</u>	<u>Life Remaining</u>
Powertrain System					
Bearing, Hangar	204-040-623-005	0	*****	1000	1000
Bearing, Hangar	204-040-623-005	0	*****	1000	1000
Bearing, Hangar	204-040-623-005	0	*****	1000	1000
Bearing, Hangar	204-040-623-005	0	*****	1000	1000
Gearbox, 42'	212-040-003-023	*****	0	5000	5000
Gearbox, 90'	212-040-004-005	*****	0	5000	5000
Hangar Assy.	212-040-600-009	*****	0	3600	3600
Hangar Assy.	212-040-600-009	*****	0	3600	3600
Hangar Assy.	212-040-600-009	*****	0	3600	3600
Hangar Assy.	212-040-600-009	*****	0	3600	3600
Mast Assembly	204-040-366-021	5943.80	0	5000	5000
Mast Bearing	212-040-136-001	751.80	*****	5000	4248
Mast Pole	204-011-450-105	0.00	*****	15000	15000
Transmission	212-040-001-135	4961	0	5000	5000
Quill, Main Input	205-040-263-111	4961	0	2000	2000
Miscellaneous					
Bearing, Turbine Fan Oil Cooler	J33C32	0	*****	450	450
Bearing, Turbine Fan Oil Cooler	H33C32	0	*****	450	450
Bolt Kit	204-1629-2	0	*****	600	600
Flight Control System					
Elevator Horn	205-001-914-25	558.55	*****	4800	4241
Elevator L/H	205-030-856-019	2217.00	*****	3600	1383
Elevator R/H	205-030-856-021	1160.50	*****	3600	2440
Lever, Collective	212-010-403-005	3091.00	*****	COND.	COND.
Lever, Collective	212-010-403-005	3196.00	*****	COND.	COND.

ADDITIONAL FEATURES

- T53-L-13B (-22 Configuration)
- Hand-Held Fire Extinguisher
- LED Strobe Light
- ELT
- Vertical Fin Spar Modification
- Kaflex Main Driveshaft

AIRWORTHY AIRCRAFT

Serial Number: 4374
Aircraft Total Time: 7286.1

SW205

N7042N

<u>Nomenclature</u>	<u>Part Number</u>	<u>TSN</u>	<u>TSO</u>	<u>OH/Life Limit</u>	<u>Life Remaining</u>
<u>Main Rotor System</u>					
Blade, Main Rotor	212-015-501-115	0	*****	4000	4000
Blade, Main Rotor	212-015-501-115	0	*****	4000	4000
Clevis	204-011-179-001	2226.00	*****	3600	1374
Clevis	204-011-179-001	1274.00	*****	3600	2326
Fitting, inboard	212-010-103-005	0.00	*****	2400	2400
Fitting, inboard	212-010-103-005	0.00	*****	2400	2400
Fitting, outboard	204-012-103-005	0.00	*****	2400	2400
Fitting, outboard	204-012-103-005	0.00	*****	2400	2400
Hub, Main Rotor	204-012-101-027FM	3965.00	0	2000	2000
Pin, inboard	204-012-104-005	0.00	*****	2400	2400
Pin, inboard	204-012-104-005	0.00	*****	2400	2400
Pin, outboard	204-012-104-005	0.00	*****	2400	2400
Pin, outboard	204-012-104-005	0.00	*****	2400	2400
Scissor	204-011-406-013	1154.00	*****	3600	2446
Scissor	204-011-406-013	1154.00	*****	3600	2446
Scissor's & Sleeve Assembly	204-011-401-021	6103.30	0	COND.	COND.
Stabilizer Bar Centerframe	204-011-307-001	1409.10	*****	15000	13591
Stabilizer Bar Centerframe	204-011-307-001	1409.10	*****	15000	13591
Stabilizer Bar Tube	212-010-311-101	1409.10	*****	COND.	COND.
Stabilizer Bar Tube	212-010-311-101	1409.10	*****	COND.	COND.
Support	204-011-404-005	305.20	*****	3600	3295
Swashplate/Support Assy	204-011-400-129	3760.00	0	COND.	COND.
T.T. Strap	204-011-122-005	0	*****	1200	1200
T.T. Strap	204-011-122-005	0	*****	1200	1200
Trunnion Main Rotor	204-011-105-001	3965.00	*****	15000	11035
Yoke, Main Rotor	204-011-102-017	3965.00	*****	COND.	COND.
<u>Tail Rotor System</u>					
Tail Rotor Blade	212-010-750-105	0	*****	5000	5000
Tail Rotor Blade	212-010-750-105	0	*****	5000	5000
Tail Rotor Yoke	212-010-704-005	0	*****	5000	5000
Tail Rotor Hub Assembly	212-010-701-013	*****	0	2500	2500
<u>Powerplant System</u>					
Engine Assembly	T53-L-13B	1855	0	2400	2400
Hot-End Inspection	*****	*****	0	1200	1200

ADDITIONAL FEATURES

- T53-L-13B (-22 Configuration)
- Hand-Held Fire Extinguisher
- LED Strobe Light
- ELT
- Vertical Fin Spar Modification
- Kaflex Main Driveshaft

AIRWORTHY AIRCRAFT

AIRCRAFT DETAILS

UPGRADED AND MODERNIZED AS CONFIGURED

Aircraft Model: SW205

Engine Model: T53-L-13B

NEW: Soundproofing, Battery, Seat Covers, Seat Belts, Fire Extinguisher, Windows

NEW: 212 Main Rotor Blades & 212 Tail Rotor Blades

ALL current applicable AD's, complied with

- Current Annual Inspection
- 11-13 Passenger Seating
- Crew Door Struts
- 212 Transmission
- Improved Tailboom
- BLR Strakes

- Dual Flight Controls
- KAFLEX Main Driveshaft
- LED Strobe Lights (1 ea.)
- 212 Nose
- 212 Gearboxes
- 212 Tail Rotor System

- New Paint
- Green Window Guard
- Wire Strike Kit
- Upgraded Lift Beam & Pylon
- BLR Fast Fin
- Adjustable Engine Mount Kit

- Cargo Hook with Load Meter
- External Rescue Hoist (600 lbs.)
- Space Door (Cargo Doors)
- N1/N2 Engine Cycle Counter
- CVR/FDR
- HEEL
- Oxygen Mask
- VIP Seating
- Aerial Spray System
- Extended Warranty 5-years/3,000 hours

OPTIONAL EQUIPMENT:

- Full Glass EFIS System
- Fire Tank (370 gal.)
- Internal Rescue Hoist (600 lbs.)
- Cabin Wall/Floor Protector
- HUMS
- VIP Seating
- Emergency Floats
- Bambi Bucket (320-420 gal.)
- Loud Speakers

- Engine Inlet Barrier Filter
- EMS Package (1-Patient)
- 140-270 gal. Aux. Tank
- FLIR
- EMS/SAR
- Ballistic Protection
- Tactical Fast Rope System
- Cabin Protectors
- Tactical IR/EO Camera Kit

AIRCRAFT SPECIFICATIONS DATA

Aircraft Exterior Dimensions:

Length, fuselage, ft (m)	42.40	(12.92)	Width, fuselage, ft (m)	8.00	(2.44)
Length, T/R turning, ft (m)	45.93	(14.00)	Width, widest point, ft (m)	9.38	(2.86)
Length, both turning, ft (m)	57.28	(17.46)	Width, landing gear, ft (m)	8.67	(2.64)
Height, top, rotor hub, ft (m)	13.83	(4.210)	Gr clearance, fuselage, ft (m)	1.00	(0.31)
Height, top, T/R arc, ft (m)	16.75	(5.100)	Gr clearance, T/R, ft (m)	5.75	(1.75)

Aircraft Interior Dimensions:

<u>Cabin</u>			<u>Cabin</u>		
Length, max, ft (m)	7.67	(2.33)	Width	8.00	(2.44)
Height, max, ft (m)	4.33	(1.32)	Volume, ft3 (m3)	200.00	(6.32)

Aircraft Weights: (Typical)

Max gross, lbs (kg)	9,500	(4309)	Empty, std acft, lbs (kg)	5,082	(2305)
Useful load, lbs (kg)	4,418	(2004)	Useful, with full fuel, lbs (kg)	1,435	(651)
External load, lbs (kg)	4,000	(1814)	Gross with ext load, lbs (kg)	9,500	(4309)

WARRANTY DISCLAIMER**LIMITED WARRANTY**

WARRANTY AND REMEDY: Seller warrants each new helicopter part or helicopter part reconditioned by seller to be free from defect in material and workmanship under normal use and service and if installed on appropriate model helicopters. Seller's sole obligation under this warranty is limited to replacement or repair of parts which are determined to Seller's reasonable satisfaction to have been defective with 3,000 hours of operation or one (1) year after installation, whichever occurs first. After 200 hours of use, there will be a prorated charge to the Purchaser for replacement parts (prorating the hours of total use against the then applicable part life. Replacement of parts may be with either new or reconditioned parts, at Seller's election. This Warranty excludes nonconformities resulting from: (i) normal wear and tear; and (ii) failure to properly store, install, operate, or maintain the system. Warranty adjustment is contingent upon the Purchaser complying with the Warranty Remedies as described in the Commercial Warranty Information brochure and the Seller's Warranty Administration disposition instructions for defective parts. Failure to comply with all of the terms of this paragraph may, at Seller's sole option, void this warranty.

NOTE: Parts, components, and assemblies of all new helicopters parts may have been restored or reworked due to marks, blemishes, dents, or other irregularities during the manufacturing process. Such restoration and/or rework is permitted under Seller's approved manufacturing and engineering processes and guidelines. The restoration and/or rework so completed does not render such items defective in material or workmanship.

THIS WARRANTY IS GIVEN AND ACCEPTED IN PLACE OF (i) ALL OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OR CONDITIONS OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE AND (ii) ANY OBLIGATION, LIABILITY, RIGHT, CLAIM OR REMEDY IN CONTRACTOR IN TORT (DELICT), INCLUDING PRODUCT LIABILITIES BASED UPON STRICT LIABILITY, NEGLIGENCE, OR IMPLIED WARRANTY IN LAW.

This warranty is the only warranty made by Seller. The Purchaser's sole remedy for a breach of this warranty or any defect in a part is the repair or replacement of helicopter parts as provided herein. Seller excludes liability, whether as a result of a breach of contract or warranty, negligence or strict product liability, for incidental or consequential damages, including without limitation, damage to the helicopter or other property, costs and expenses resulting from required changes or modifications to helicopter components and assemblies, changes in retirement lives and Overhaul periods, local customs fees and taxes, and costs or expenses for commercial losses or lost profits due to loss of use or grounding of helicopters or otherwise. Seller makes no warranty and disclaims all liability in contract or in tort (delict), including, without limitation, negligence and strict tort (delictual) liability, with respect to work performed by third parties at Purchaser's request and with respect to engines, engine accessories, batteries, radios, and avionics, except Seller assigns each manufacturer's warranty to Purchaser to the extent such manufacturer's warranty exists and is assignable. This warranty shall not apply to any helicopter part which has been repaired or altered outside Seller's factory in any way so as, in Seller's judgment, to affect its stability, safety or reliability, or which has been subject to misuse, negligence or accident, or which has been installed in any aircraft which has been destroyed unless that helicopter has been rebuilt by Seller. A list of destroyed aircraft is obtainable from Seller's Product Support. Repairs and alterations which use or incorporate parts and components other than genuine Seller's parts or parts approved by Seller's for direct acquisition from sources other than Seller's itself are not warranted by Seller's, and this warranty shall be void to the extent that such repairs and alterations, in Seller's sole judgment, affect the stability, safety or reliability of the helicopter or any part thereof, or damage genuine Seller's or Seller's-approved parts. No person, corporation, or organization, including Seller's Customer Service Facilities, is authorized by Seller to assume for it any other liability in connection with the sale of its helicopter parts.

NO STATEMENT, WHETHER WRITTEN OR ORAL, MADE BY ANY PERSON, CORPORATION OR ORGANIZATION, INCLUDING SELLER'S CUSTOMER SERVICE FACILITIES MAY BE TAKEN AS A WARRANTY NOR WILL IT BIND SELLER.

Seller makes no warranty and disclaims all liability with respect to components or parts damaged by, or worn due to, corrosion. Seller makes no warranty and disclaims all liability for consumables (wear items) which are defined as items required for normal and routine maintenance or replaced at scheduled intervals shorter than the warranty period. "Consumables" include but are not limited to engine and hydraulic oil, oil filters, packings and o-rings, anti-corrosion and/or sealing compounds, brush plating material, nuts, bolts, washers, screws, fluids, compounds, and standard aircraft hardware that is readily available to aircraft operators from sources other than Seller. All legal actions based upon claims or disputes pertaining to or involving this warranty including, but not limited to, Seller's denial of any claim or portion thereof under this warranty, must be filed in the courts of general jurisdiction of Desoto County, Florida or in the United States District Court for the District of Florida. In the event that Purchaser files such an action in either of the court systems identified above, and a final judgment in Seller's favor is rendered by such court, then Purchaser shall indemnify Seller for all costs, expenses and attorneys' fees incurred by Seller in defense of such claims. In the event Purchaser files such a legal action in a court other than those specified, and Seller successfully obtains dismissal of that action or transfer thereof to the above described court systems, then Purchaser shall indemnify Seller for all costs, expenses and attorneys' fees incurred by Seller in obtaining such dismissal or transfer.