

JEEP WRANGLER UNLIMITED

3.0L V6 Turbo Diesel • 4x4 • 8-Speed Automatic



OFFER	125 Jeeps
OFFER DATE	20 October 2025
COUNTRY OF ORIGIN	United States
ENGINE	EXJ-DFV 3.0A • 2987 cc • Diesel • 6-cylinder • 260 BHP / 194 kW
DRIVETRAIN	Part-time 4x4 Hi-Lo / Command-Trac
CONFIGURATION	4-door • Long Wheel Base • Left-Hand Drive

Professional vehicle presentation prepared from the supplied offer and specification pages. Vehicle image is illustrative, as indicated in the source offer.

Executive Technical Summary

The supplied offer describes a Jeep Wrangler Unlimited with a 3.0L V6 turbo-diesel engine, 8-speed automatic transmission and part-time 4x4 Hi-Lo drivetrain. The document includes both the standard/base configuration and a GVW-upgraded configuration targeting a 950 kg payload.

Transmission	8-speed automatic
Brakes	Front 330×24 mm vented disc, 48 mm twin-piston floating caliper; rear 328×12 mm solid disc, 45 mm single-piston floating
Tyres	P245/75R17 front & rear; 17×7.5 in.; Michelin / Bridgestone
Suspension - Base	Front 5-link coil spring; rear 5-link coil spring
Suspension - GVW Upgrade	Old Man Emu heavy-duty springs and shocks
Wheelbase / Ground Clearance	3008 mm / 246 mm
Base Weight	GVW 2631 kg; kerb 2111 kg; payload 520 kg
Upgraded Weight	GVW 3150 kg; kerb 2200 kg; payload 950 kg
Seats	5 seats; front 1+1 3-way adjustable; rear 40/60 split with headrests and 3-point belts; cloth
Technical Dimensions	Length 4785 mm; width 1875 mm; height 1868 mm
Engine	EXJ-DFV 3.0A; 2987 cc; diesel; 6 cylinders; 260 BHP; 194 kW; liquid cooling; 12 V
Fuel Tank	18.3 US gallons + 3.8 additional gallons of diesel as listed in the equipment specification
Approach / Breakover / Departure	41° / 22° / 35°
Fording Depth	760 mm
Turning Circle	5.9 m

GVW Upgrade Package

- Dynatrac ProRock 60 rear axle
- JL chassis reinforcement kit
- Heavy-duty front coil springs
- Heavy-duty rear coil springs
- Heavy-duty front shock absorbers
- Heavy-duty rear shock absorbers

Optional equipment not included in the current upgrade: Underbody protection kit with 6 mm steel plate, rear light guard kit and front headlight guard kit. The source offer states an additional EUR 5,000 for these items and an 8-week lead time for fitting accessories.

Detailed Specification — Base Model

Offer 125 Jeeps - October 20 2025



*Illustrative purposes only

1. Technical specification (Base model)

Transmission	8 speed, Automatic
Brakes	Brakes: Front: 330x24mm Vented disk - 48mm Twin-piston floating c, Rear: 328x12mm Solid disk - 45mm Single-piston floating
Drive Type:	Part-time 4x4 Hi-Lo
Tyres	On/off-road A/S Front: P245/75R17 Rear: P245/75R17. 17 x 7.5 in. Michelin / Bridgestone
Suspensions	Front: 5-link coil spring, Rear: 5-link coil spring
Wheelbase	Standard 3008 mm, Ground Clearance: 246 mm
Weight	GVW 2631kg, Kerb Weight 2111kg and payload 520kg
Seats	5 Seater. Front: 1+1 3-Way adjustable, Rear: 40/60 3 with headrests and 3-point seatbelts. Material: cloth
Dimensions	Length: 4785mm, Width: 1875mm, Height: 1868mm, Volume: 16.8m ³ all excluding accessories

Detailed Equipment & Features

Offer 125 Jeeps - October 20 2025

Country of Origin	United States
Engine Model	EXJ-DFV 3.0A - 2987cc, Diesel(Tank 69l), 6 cylinders, BHP: 260, KW: 194, Cooling (Liquid), 12 Volts
No of doors	5

180 AMP ALTERNATOR 650 AMP AGM BATTERY STABILITY CONTROL-WITH HILL START ASSIST TRACTION CONTROL ELECTRONIC ROLL MITIGATION TRAILER SWAY DAMPING HYDRAULIC ASSIST BRAKE BOOSTER ANTI-LOCK 4-WHEEL DISC HD BRAKES LOW BACK BUCKET SEATS RECLINING FRONT SEATS DRIVER HEIGHT ADJUSTER SEAT REAR 60/40 FOLDING SEAT CHILD SEAT UPPER TETHER ANCHORAGE RR HEAD RESTRAINTS OUTBOARD SEATING ADVANCED MULTISTAGE FRONT AIR BAGS SUPPLEMENTAL FRT SEAT SIDE AIR BAGS FRONT SEAT AREA CARPET REAR SEAT/WHEELHOUSE/CARGO CARPET CARGO TIE DOWN LOOPS FRONT & REAR FLOOR MATS SPORT BAR THREE REAR SEAT HEAD RESTRAINTS FRONT SEAT BACK MAP POCKETS DRIVER AND PASSENGER ASSIST HANDLES FULL LENGTH FLOOR CONSOLE REAR COMPARTMENT STORAGE TRAY STORAGE TRAY URETHANE SHIFT KNOB ILLUMINATED CUPHOLDERS COMMAND-TRAC PART TIME 4WD SYSTEM DANA M220 REAR AXLE CONVENTIONAL DIFFERENTIAL FRT AXLE SOLAR CONTROL GLASS TINTED WINDSHIELD GLASS FRONT DOOR TINTED GLASS FULL METAL DOORS W/ROLL-UP WINDOWS REAR VIEW DAY/NIGHT MIRROR	SLIDING SUN VISORS W/MIRRORS MANUAL MIRRORS, FOLD-AWAY SENTRY KEY THEFT DETERRENT SYSTEM PUSHBUTTON START AIR CONDITIONING HOOD INSULATION CLUSTER 3.5" TFT B&W DISPLAY 120 MPH PRIMARY SPEEDOMETER SILVER PLATINUM I/P BEZELS MANUAL DOOR LOCKS OUTSIDE TEMPERATURE GAUGE MANUAL WINDOWS VAR INTERMITTENT WINDSHIELD WIPERS METHANOL WINDSHIELD WASHER FLUID DUAL NOTE ELECTROMECHANICAL HORNS 12V AUXILIARY POWER OUTLET AUXILIARY 12-VOLT REAR POWER OUTLET LOCKING GLOVE BOX MANUAL 2-WAY DRIVER LUMBAR ADJUST MANUAL 6-WAY DRIVER SEAT FRT PASS SEAT - MANUAL ADJUST 4-WAY FRONT PASSENGER SEAT BELT ALERT VEHICLE INFORMATION CENTER INCANDESCENT TAILLAMPS COURTESY LAMPS FRONT DOME W/ON/OFF SWITCH LAMP BLACK EXTERIOR MIRRORS HEADLAMP OFF TIME DELAY REAR DOME W/ON/OFF SWITCH LAMP HALOGEN HEADLAMPS FT SIDE MARKER/SIDE REPEATER LAMP FRONT FOG LAMPS CHMSL LAMP MOLDED BLACK FRONT BUMPER BLOW MOLDED BLACK REAR BUMPER NON-VENTED HOOD BLACK FRONT FRAME OVERLAY BODY COLOR GRILLE WRANGLER DECAL	MIC FENDER FLARES (1PCS FRT/1PC RR) BLACK DOOR HANDLES GRAY/BLACK TRAIL RATED BADGE JEEP BADGE SPEED CONTROL BRIGHT WHITE CLEAR COAT 8 SPEAKERS FIXED LONG MAST ANTENNA STEERING WHEEL MOUNTED AUDIO CTRLS MEDIA HUB (USB, AUX) AUDIO JACK INPUT FOR MOBILE DEVICES REMOTE USB PORT POWER STEERING STEERING WHEEL NORMAL DUTY SUSPENSION FRONT STABILIZER BAR REAR STABILIZER BAR BLACK SUNRIDER SOFT TOP TILT/TELESCOPE STEERING COLUMN FULL SIZE SPARE TIRE OUTSIDE TIRE CARRIER UCONNECT 4 WITH 7" DISPLAY 17X7.5 BLACK STEEL STYLED WHEELS MATCHING SPARE WHEEL PARKVIEW REAR BACK-UP CAMERA OCCUPANT CLASSIFICATION SYSTEM FUEL TANK SKID PLATE SHIELD TRANSFER CASE SKID PLATE SHIELD 2 FRONT & 1 REAR TOW HOOKS TORX TOOL KIT TRANSMISSION SKID PLATE R1234YF A/C REFRIGERANT TIRE PRESSURE MONITORING DISPLAY TETHERED FUEL FILLER CAP ENGLISH/USA LANGUAGE PROTECTIVE COATING AND REMOVER BASE INTERIOR ACCENTS BUMPER MODULE I WHEEL FLARE/DRL PARTS MODULE GRILLE MODULE MOPAR CUSTOM SHOP MODULE DOOR TRIM PANEL MODULE
--	--	---

Equipment Continuation & GVW-Upgraded Technical Specifications

Offer 125 Jeeps - October 20 2025

GLASS MODULE	BLACK	INTEGRATED CENTER STACK RADIO
CENTER CONSOLE PARTS MODULE	AUX BATTERY	4G LTE WI-FI HOT SPOT
FRONT FASCIA PARTS MODULE	SELEC-SPEED (TM) CONTROL	SIRIUSXM GUARDIAN-INCLUDED TRIAL (B)
SEAT PARTS MODULE	ALL AUTOMATIC TRANSMISSIONS	ALL VP2 RADIOS
INSTRUMENT PANEL PARTS MODULE	8-SPD AUTO 8HP75 TRANS (BUY-GERMANY)	MICHELIN or BRIDGESTONE BRAND TIRES
DOOR PARTS MODULE	DANA M210 FRONT AXLE	ALL STEEL WHEELS
FRONT END PARTS MODULE	3.73 REAR AXLE RATIO	SELECTIVE CATALYTIC REDUCTION (UREA)
FRONT SUSPENSION PARTS MODULE	ANTI-SPIN DIFFERENTIAL REAR AXLE	TIP START
REAR SUSPENSION PARTS MODULE	3.0L V6 TURBO DIESEL ENGINE	STOP-START DUAL BATTERY SYSTEM
TIRE & WHEEL PARTS MODULE	W/ESS G3	BLACK FUEL FILLER DOOR
FRAME PARTS MODULE	110MPH VEHICLE MAX SPEED CALIBRATION	NON-LOCK FUEL CAP W/ DISCRIMINATOR
BUILD TO U.S. MKT. SPECIFICATIONS	GPS ANTENNA INPUT	INTEGRATED VOICE COMMAND W/BLUETOOTH
EMEA REGION ECE	GRAY ECODIESEL BADGE	3.8 ADDITIONAL GALLONS OF DIESEL
ZONE 06-EXPORT	50 STATE EMISSIONS	SPRING - LEFT REAR
JL/5403 VEHICLE FAMILY	18.3 GALLON FUEL TANK	SPRING - LEFT FRONT
FOUR WHEEL DRIVE (4WD)/(4x4)	BRIGHT WHITE CLEAR COAT	SPRING - RIGHT REAR
LEFT HAND DRIVE (LHD)	ALL RADIO EQUIPPED VEHICLES	SPRING - RIGHT FRONT
2022 VEHICLE SPECIFICATIONS	GLOBAL TELEMATICS BOX MODULE (TBM)	
FOUR DOOR	7.0" TOUCH SCREEN DISPLAY	
VEHICLE ORDER TRACKING	APPLE CARPLAY	
LONG WHEEL BASE (LWB)	GOOGLE ANDROID AUTO	
U.S. SPECIFICATIONS LABEL	USB HOST FLIP	
CLOTH LOW-BACK BUCKET SEATS		

2. Technical specifications (GVW Upgraded)

Transmission	8 speed, Automatic
Brakes	Brakes: Front: 330x24mm Vented disk - 48mm Twin-piston floating c, Rear: 328x12mm Solid disk - 45mm Single-piston floating
Drive Type:	Part-time 4x4 Hi-Lo
Tyres	On/off-road A/S Front: P245/75R17 Rear: P245/75R17. 17 x 7.5 in. Michelin / Bridgestone
Suspensions	Front: 5-link coil spring, Rear: 5-link coil spring *GVW Old man Emu Springs and shocks
Wheelbase	Standard 3008 mm, Ground Clearance: 246 mm
Weight	GVW 3150kg, Kerb Weight 2200kg and payload 950kg
Seats	5 Seater. Front: 1+1 3-Way adjustable, Rear: 40/60 3 with headrests and 3-point seatbelts. Material: cloth
Dimensions	Length: 4785mm, Width: 1875mm, Height: 1868mm, Volume: 16.8m ³ all excluding accessories

Equipment Continuation

Offer 125 Jeeps - October 20 2025

Country of Origin	United States
Engine Model	EXJ-DFV 3.0A - 2987cc, Diesel(Tank 69l), 6 cylinders, BHP: 260, KW: 194, Cooling (Liquid), 12 Volts
No of doors	5

180 AMP ALTERNATOR
650 AMP AGM BATTERY
STABILITY CONTROL-WITH
HILL START ASSIST
TRACTION CONTROL
ELECTRONIC ROLL
MITIGATION
TRAILER SWAY DAMPING
HYDRAULIC ASSIST BRAKE
BOOSTER
ANTI-LOCK 4-WHEEL DISC HD
BRAKES
LOW BACK BUCKET SEATS
RECLINING FRONT SEATS
DRIVER HEIGHT ADJUSTER
SEAT
REAR 60/40 FOLDING SEAT
CHILD SEAT UPPER TETHER
ANCHORAGE
RR HEAD RESTRAINTS
OUTBOARD SEATING
ADVANCED MULTISTAGE
FRONT AIR BAGS
SUPPLEMENTAL FRT SEAT
SIDE AIR BAGS
FRONT SEAT AREA CARPET
REAR
SEAT/WHEELHOUSE/CARGO
CARPET
CARGO TIE DOWN LOOPS
FRONT & REAR FLOOR MATS
SPORT BAR
THREE REAR SEAT HEAD
RESTRAINTS
FRONT SEAT BACK MAP
POCKETS
DRIVER AND PASSENGER
ASSIST HANDLES
FULL LENGTH FLOOR
CONSOLE
REAR COMPARTMENT
STORAGE TRAY
STORAGE TRAY
URETHANE SHIFT KNOB
ILLUMINATED CUPHOLDERS
COMMAND-TRAC PART TIME
4WD SYSTEM
**Dynatrac ProRock 60 Rear
Axle** CONVENTIONAL
DIFFERENTIAL FRT AXLE
SOLAR CONTROL GLASS
TINTED WINDSHIELD GLASS
FRONT DOOR TINTED GLASS

FULL METAL DOORS W/ROLL-
UP WINDOWS
REAR VIEW DAY/NIGHT
MIRROR
SLIDING SUN VISORS
W/MIRRORS
MANUAL MIRRORS, FOLD-
AWAY
SENTRY KEY THEFT
DETERRENT SYSTEM
PUSHBUTTON START
AIR CONDITIONING
HOOD INSULATION
CLUSTER 3.5" TFT B&W
DISPLAY
120 MPH PRIMARY
SPEEDOMETER
SILVER PLATINUM I/P BEZELS
MANUAL DOOR LOCKS
OUTSIDE TEMPERATURE
GAUGE
MANUAL WINDOWS
VAR INTERMITTENT
WINDSHIELD WIPERS
METHANOL WINDSHIELD
WASHER FLUID
DUAL NOTE
ELECTROMECHANICAL HORNS
12V AUXILIARY POWER
OUTLET
AUXILIARY 12-VOLT REAR
POWER OUTLET
LOCKING GLOVE BOX
MANUAL 2-WAY DRIVER
LUMBAR ADJUST
MANUAL 6-WAY DRIVER SEAT
FRT PASS SEAT - MANUAL
ADJUST 4-WAY
FRONT PASSENGER SEAT BELT
ALERT
VEHICLE INFORMATION
CENTER
INCANDESCENT TAILLAMPS
COURTESY LAMPS
FRONT DOME W/ON/OFF
SWITCH LAMP
BLACK EXTERIOR MIRRORS
HEADLAMP OFF TIME DELAY
REAR DOME W/ON/OFF
SWITCH LAMP
HALOGEN HEADLAMPS
FT SIDE MARKER/SIDE
REPEATER LAMP
FRONT FOG LAMPS

CHMSL LAMP
MOLDED BLACK FRONT
BUMPER
BLOW MOLDED BLACK REAR
BUMPER
NON-VENTED HOOD
BLACK FRONT FRAME
OVERLAY
BODY COLOR GRILLE
WRANGLER DECAL
MIC FENDER FLARES (1PCS
FRT/1PC RR)
BLACK DOOR HANDLES
GRAY/BLACK TRAIL RATED
BADGE
JEEP BADGE
SPEED CONTROL
BRIGHT WHITE CLEAR COAT
8 SPEAKERS
FIXED LONG MAST ANTENNA
STEERING WHEEL MOUNTED
AUDIO CTRLS
MEDIA HUB (USB, AUX)
AUDIO JACK INPUT FOR
MOBILE DEVICES
REMOTE USB PORT
POWER STEERING
STEERING WHEEL
NORMAL DUTY SUSPENSION
FRONT STABILIZER BAR
REAR STABILIZER BAR
BLACK SUNRIDER SOFT TOP
TILT/TELESCOPE STEERING
COLUMN
FULL SIZE SPARE TIRE
OUTSIDE TIRE CARRIER
UCONNECT 4 WITH 7"
DISPLAY
17X7.5 BLACK STEEL STYLED
WHEELS
MATCHING SPARE WHEEL
PARKVIEW REAR BACK-UP
CAMERA
OCCUPANT CLASSIFICATION
SYSTEM
FUEL TANK SKID PLATE
SHIELD
TRANSFER CASE SKID
SHIELD
2 FRONT & 1 REAR TOW
HOOKS
TORX TOOL KIT
TRANSMISSION SKID
R1234YF A/C REFRIGE

Equipment Continuation & GVW Increase Overview

Offer 125 Jeeps - October 20 2025

TIRE PRESSURE MONITORING DISPLAY TETHERED FUEL FILLER CAP ENGLISH/USA LANGUAGE PROTECTIVE COATING AND REMOVER BASE INTERIOR ACCENTS BUMPER MODULE I WHEEL FLARE/DRL PARTS MODULE GRILLE MODULE MOPAR CUSTOM SHOP MODULE DOOR TRIM PANEL MODULE GLASS MODULE CENTER CONSOLE PARTS MODULE FRONT FASCIAS PARTS MODULE SEAT PARTS MODULE INSTRUMENT PANEL PARTS MODULE DOOR PARTS MODULE FRONT END PARTS MODULE FRONT SUSPENSION PARTS MODULE REAR SUSPENSION PARTS MODULE TIRE & WHEEL PARTS MODULE FRAME PARTS MODULE BUILD TO U.S. MKT. SPECIFICATIONS EMEA REGION ECE	ZONE 06-EXPORT JL/5403 VEHICLE FAMILY FOUR WHEEL DRIVE (4WD)/(4X4) LEFT HAND DRIVE (LHD) 2022 VEHICLE SPECIFICATIONS FOUR DOOR VEHICLE ORDER TRACKING LONG WHEEL BASE (LWB) U.S. SPECIFICATIONS LABEL CLOTH LOW-BACK BUCKET SEATS BLACK AUX BATTERY SELEC-SPEED (TM) CONTROL ALL AUTOMATIC TRANSMISSIONS 8-SPD AUTO 8HP75 TRANS (BUY-GERMANY) DANA M210 FRONT AXLE 3.73 REAR AXLE RATIO ANTI-SPIN DIFFERENTIAL REAR AXLE 3.0L V6 TURBO DIESEL ENGINE W/ESS G3 110MPH VEHICLE MAX SPEED CALIBRATION GPS ANTENNA INPUT GRAY ECODIESEL BADGE 50 STATE EMISSIONS 18.3 GALLON FUEL TANK BRIGHT WHITE CLEAR COAT	ALL RADIO EQUIPPED VEHICLES GLOBAL TELEMATICS BOX MODULE (TBM) 7.0" TOUCH SCREEN DISPLAY APPLE CARPLAY GOOGLE ANDROID AUTO USB HOST FLIP INTEGRATED CENTER STACK RADIO 4G LTE WI-FI HOT SPOT SIRIUSXM GUARDIAN- INCLUDED TRIAL (B) ALL VP2 RADIOS MICHELIN or BRIDGESTONE BRAND TIRES ALL STEEL WHEELS SELECTIVE CATALYTIC REDUCTION (UREA) TIP START STOP-START DUAL BATTERY SYSTEM BLACK FUEL FILLER DOOR NON-LOCK FUEL CAP W/ DISCRIMINATOR INTEGRATED VOICE COMMAND W/BLUETOOTH 3.8 ADDITIONAL GALLONS OF DIESEL SPRING - LEFT REAR SPRING - LEFT FRONT SPRING - RIGHT REAR SPRING - RIGHT FRONT
---	--	--

Technical Overview – GVW Increase Modification

The objective of this modification is to increase the Gross Vehicle Weight (GVW) rating of the Jeep Wrangler Unlimited (3.0L Diesel) to support up to 950 kg of payload capacity.

This enhancement has been achieved through a series of structural and suspension component upgrades designed to increase load-bearing capacity, stability, and durability under increased operating weights.

Component	Upgraded Part	Purpose / Benefit
Rear Axle	Dynatrac ProRock 60 Rear Axle	Provides significantly higher load-carrying capacity and improved axle strength compared to OEM Dana 44. The ProRock 60 features reinforced axle tubes, larger ring gear, and upgraded differential housing designed for heavy-duty and off-road applications.
Chassis	JL Chassis Reinforcement Kit	Strengthens the vehicle frame to handle increased GVW by reducing torsional flex. Distributes loads more evenly across the chassis. Enhances durability under sustained payload and off-road conditions.

GVW Upgrade Components & Additional Equipment

Offer 125 Jeeps - October 20 2025

Component	Upgraded Part	Purpose / Benefit
Front Coil Springs (Pair)	Heavy-Duty Replacement (Upgrade of Std springs to H.Duty Springs)	Increases front-end load support and maintain proper ride height under additional weight, ensure correct suspension geometry and handling characteristics.
Rear Coil Springs (Pair)	Heavy-Duty Replacement (Upgrade of Std springs to H.Duty Springs)	Designed to support the additional rear axle load from increased payload. Prevents excessive sagging and improves rear suspension performance under load.
Front Shock Absorbers	Heavy-Duty Replacement (Upgrade of Std Dampers to H.Duty Dampers)	Tuned for higher spring rates and vehicle mass. Enhances stability, reduces body roll, and maintain ride comfort with increased GVW.
Rear Shock Absorbers	Heavy-Duty Replacement (Upgrade of Std Dampers to H.Duty Dampers)	Complements rear coil upgrade. Controls rebound and compression under heavier load conditions, improving vehicle control and ride quality.

Additional Equipment (not included in the current upgrade)

Additional equipment as listed below is not currently fitted to the vehicles.

Lead time to complete works on fitting on these accessories will take 8 weeks

If no extras are required on the base vehicles, 35 units are available for immediate shipment.


If no additional equipment is required to be fitted on the upgraded vehicles, please consider 40 units available for immediate shipment, the others will be prepared.

Not included but can be added for EURO 5,000:

Underbody protection Kit – 6mm steel plate fitted to the underbody (see below)

Rear Light Guard Kit


Front Headlight Guard Kit



Performance, Off-Road Geometry & Dimensions

Offer 125 Jeeps - October 20 2025

3. Performance specific to both configurations




A = Approach Angle 41°
B = Ramp Break-over angle 22°
C = Departure Angle 35°



Fording depth = 760mm



Turning circle = 5.9m



Dimensions =
L 4785
W 1885
H 1832