



# SW205 (UH-1H)

FOR SALE OVERHAULED AND UPGRADED

SERIAL NUMBER  
8976

LOCATION  
USA

PRICE  
\$2,750,000 USD

TOTAL TIME  
6,344.5 HRS

AVAILABLE  
60-120 Days

Pricing includes sea shipment. We can provide as an option on-site pilot(s) and mechanic(s), basic spares package, and training personnel.

## AVIONICS

- |                |        |
|----------------|--------|
| • COMM/GPS/NAV | Garmin |
| • Transponder  | Garmin |
| • Audio panel  | Garmin |

## EQUIPMENT

- Wire strike protection
- Optional Cargo hook (6,000 lbs.) with load meter
- Optional: External Hoist (600 lbs.)

## INTERIOR

- Troop configuration
- Pilot and copilot seats
- Optional: EMS Package (1 Patient) Quick Change 20 mins.

## HIGHLIGHTS

- Warranty- 1 Year or 3,000 hour
- Fresh Paint & Fresh Inspection
- 212 M/R Blades & 212 T/R Blades
- BLR FastFin®
- BLR Strakes®
- Optional Extended Warranty- 5 Year or 3,000 hour
- Optional Engine Inlet Barrier Filtration System
- Optional: Fire Fighting Tank (370 gal) Quick Change 25 mins.





Serial Number: 8976  
Aircraft Total Time: 6344.5

SW205

N661UH

<u>Nomenclature</u>	<u>Part Number</u>	<u>TSN</u>	<u>TSO</u>	<u>OH/Life Limit</u>	<u>Life Remaining</u>
<b>Powertrain System</b>					
Bearing, Hangar	204-040-623-005	0	*****	1000	1000
Bearing, Hangar	204-040-623-005	0	*****	1000	1000
Bearing, Hangar	204-040-623-005	0	*****	1000	1000
Bearing, Hangar	204-040-623-005	0	*****	1000	1000
Driveshaft, Main	SKCP2281-103	342.3	*****	COND.	COND.
Gearbox, 42'	212-040-003-023	*****	0	5000	5000
Gearbox, 90'	212-040-004-005	*****	0	5000	5000
Hangar Assy.	212-040-600-009	*****	0	3600	3600
Hangar Assy.	212-040-600-009	*****	0	3600	3600
Hangar Assy.	212-040-600-009	*****	0	3600	3600
Hangar Assy.	212-040-600-009	*****	0	3600	3600
Mast Assembly	204-040-366-021	1495.1	0	5000	5000
Mast Bearing	212-040-136-001	342.3	*****	2500	2158
Mast Pole	204-011-450-105	342.3	*****	15000	14658
Transmission	212-040-001-135	2575.0	0	5000	5000
Quill, Main Input	205-040-263-111	2575.0	0	2000	2000
<b>Miscellaneous</b>					
Bearing, Turbine Fan Oil Cooler	J33C32	0	*****	450	450
Bearing, Turbine Fan Oil Cooler	H33C32	0	*****	450	450
Bolt Kit	204-1629-2	0	*****	600	600
<b>Flight Control System</b>					
Elevator Horn	205-001-914-25	558.55	*****	4800	4241
Elevator L/H	205-030-856-019	342.3	*****	3600	3258
Elevator R/H	205-030-856-021	544.55	*****	3600	3055
Lever, Collective	212-010-403-005	342.3	*****	COND.	COND.
Lever, Collective	212-010-403-005	342.3	*****	COND.	COND.

**ADDITIONAL FEATURES**

- T53-L-13B (-10 Configuration)
- Hand-Held Fire Extinguisher
- LED Strobe Light
- ELT
- Vertical Fin Spar Modification
- Kaflex Main Driveshaft

**AIRWORTHY AIRCRAFT**

Serial Number: 8976  
Aircraft Total Time: 6344.5

SW205

N661UH

<b>Nomenclature</b>	<b>Part Number</b>	<b>TSN</b>	<b>TSO</b>	<b>OH/Life Limit</b>	<b>Life Remaining</b>
<b>Main Rotor System</b>					
Blade, Main Rotor	212-015-501-115	0	*****	4000	4000
Blade, Main Rotor	212-015-501-115	0	*****	4000	4000
Clevis	204-011-179-001	899	*****	3600	2701
Clevis	204-011-179-001	364	*****	3600	3236
Fitting, inboard	212-010-103-005	0.0	*****	2400	2400
Fitting, inboard	212-010-103-005	0.0	*****	2400	2400
Fitting, outboard	204-012-103-005	0.0	*****	2400	2400
Fitting, outboard	204-012-103-005	0.0	*****	2400	2400
Hub, Main Rotor	204-012-101-027FM	4891.0	0	2000	2000
Pin, inboard	204-012-104-005	0.0	*****	2400	2400
Pin, inboard	204-012-104-005	0.0	*****	2400	2400
Pin, outboard	204-012-104-005	0.0	*****	2400	2400
Pin, outboard	204-012-104-005	0.0	*****	2400	2400
Scissor	204-011-406-013	342.3	*****	3600	3258
Scissor	204-011-406-013	342.3	*****	3600	3258
Scissor's & Sleeve Assembly	204-011-401-021	5225.55	0	COND.	COND.
Stabilizer Bar Centerframe	204-011-307-001	342.3	*****	15000	14658
Stabilizer Bar Centerframe	204-011-307-001	342.3	*****	15000	14658
Stabilizer Bar Tube	212-010-311-101	342.3	*****	COND.	COND.
Stabilizer Bar Tube	212-010-311-101	342.3	*****	COND.	COND.
Support	204-011-404-125	342.3	*****	3600	3258
Swashplate/Support Assy	204-011-400-129	342.3	0	COND.	COND.
T.T. Strap	204-011-122-005	0	*****	1200	1200
T.T. Strap	204-011-122-005	0	*****	1200	1200
Trunnion Main Rotor	204-011-105-001	4891.0	*****	15000	10109
Yoke, Main Rotor	204-011-102-017	5462.0	*****	COND.	COND.
<b>Tail Rotor System</b>					
Tail Rotor Blade	212-010-750-105	0	*****	5000	5000
Tail Rotor Blade	212-010-750-105	0	*****	5000	5000
Tail Rotor Yoke	212-010-704-005	0	*****	1500	1500
Tail Rotor Hub Assembly	212-010-701-013	*****	0	2500	2500
<b>Powerplant System</b>					
Engine Assembly	T53-L-13B	3604.55	0	2400	2400
Hot-End Inspection	*****	*****	0	1200	1200

**ADDITIONAL FEATURES**

- T53-L-13B (-10 Configuration)
- Hand-Held Fire Extinguisher
- LED Strobe Light
- ELT
- Vertical Fin Spar Modification
- Kaflex Main Driveshaft

**AIRWORTHY AIRCRAFT**

## AIRCRAFT DETAILS

### UPGRADED AND MODERNIZED AS CONFIGURED

**Aircraft Model:** SW205

**Engine Model:** T53-L-13B

**NEW:** Soundproofing, Battery, Seat Covers, Seat Belts, Fire Extinguisher, Windows

**NEW:** 212 Main Rotor Blades & 212 Tail Rotor Blades

**ALL current applicable AD's, complied with**

- Current Annual Inspection
- 11-13 Passenger Seating
- Crew Door Struts
- 212 Transmission
- Improved Tailboom
- BLR Strakes

- Dual Flight Controls
- KAFLEX Main Driveshaft
- LED Strobe Lights (1 ea.)
- 212 Nose
- 212 Gearboxes
- 212 Tail Rotor System

- New Paint
- Green Window Guard
- Wire Strike Kit
- Upgraded Lift Beam & Pylon
- BLR Fast Fin
- Adjustable Engine Mount Kit

- Cargo Hook with Load Meter
- External Rescue Hoist (600 lbs.)
- Space Door (Cargo Doors)
- N1/N2 Engine Cycle Counter
- CVR/FDR
- HEEL
- Oxygen Mask
- VIP Seating
- Aerial Spray System
- Extended Warranty 5-years/3,000 hours

**OPTIONAL EQUIPMENT:**

- Full Glass EFIS System
- Fire Tank (370 gal.)
- Internal Rescue Hoist (600 lbs.)
- Cabin Wall/Floor Protector
- HUMS
- VIP Seating
- Emergency Floats
- Bambi Bucket (320-420 gal.)
- Loud Speakers

- Engine Inlet Barrier Filter
- EMS Package (1-Patient)
- 140-270 gal. Aux. Tank
- FLIR
- EMS/SAR
- Ballistic Protection
- Tactical Fast Rope System
- Cabin Protectors
- Tactical IR/EO Camera Kit

## AIRCRAFT SPECIFICATIONS DATA

### Aircraft Exterior Dimensions:

Length, fuselage, ft (m)	42.40	(12.92)	Width, fuselage, ft (m)	8.00	(2.44)
Length, T/R turning, ft (m)	45.93	(14.00)	Width, widest point, ft (m)	9.38	(2.86)
Length, both turning, ft (m)	57.28	(17.46)	Width, landing gear, ft (m)	8.67	(2.64)
Height, top, rotor hub, ft (m)	13.83	(4.210)	Gr clearance, fuselage, ft (m)	1.00	(0.31)
Height, top, T/R arc, ft (m)	16.75	(5.100)	Gr clearance, T/R, ft (m)	5.75	(1.75)

### Aircraft Interior Dimensions:

<u>Cabin</u>			<u>Cabin</u>		
Length, max, ft (m)	7.67	(2.33)	Width	8.00	(2.44)
Height, max, ft (m)	4.33	(1.32)	Volume, ft3 (m3)	200.00	(6.32)

### Aircraft Weights: (Typical)

Max gross, lbs (kg)	9,500	(4309)	Empty, std acft, lbs (kg)	5,082	(2305)
Useful load, lbs (kg)	4,418	(2004)	Useful, with full fuel, lbs (kg)	1,435	(651)
External load, lbs (kg)	4,000	(1814)	Gross with ext load, lbs (kg)	9,500	(4309)

**WARRANTY DISCLAIMER****LIMITED WARRANTY**

**WARRANTY AND REMEDY:** Seller warrants each new helicopter part or helicopter part reconditioned by seller to be free from defect in material and workmanship under normal use and service and if installed on appropriate model helicopters. Seller's sole obligation under this warranty is limited to replacement or repair of parts which are determined to Seller's reasonable satisfaction to have been defective with 3,000 hours of operation or one (1) year after installation, whichever occurs first. After 200 hours of use, there will be a prorated charge to the Purchaser for replacement parts (prorating the hours of total use against the then applicable part life. Replacement of parts may be with either new or reconditioned parts, at Seller's election. This Warranty excludes nonconformities resulting from: (i) normal wear and tear; and (ii) failure to properly store, install, operate, or maintain the system. Warranty adjustment is contingent upon the Purchaser complying with the Warranty Remedies as described in the Commercial Warranty Information brochure and the Seller's Warranty Administration disposition instructions for defective parts. Failure to comply with all of the terms of this paragraph may, at Seller's sole option, void this warranty.

**NOTE:** Parts, components, and assemblies of all new helicopters parts may have been restored or reworked due to marks, blemishes, dents, or other irregularities during the manufacturing process. Such restoration and/or rework is permitted under Seller's approved manufacturing and engineering processes and guidelines. The restoration and/or rework so completed does not render such items defective in material or workmanship.

**THIS WARRANTY IS GIVEN AND ACCEPTED IN PLACE OF (i) ALL OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OR CONDITIONS OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE AND (ii) ANY OBLIGATION, LIABILITY, RIGHT, CLAIM OR REMEDY IN CONTRACTOR IN TORT (DELICT), INCLUDING PRODUCT LIABILITIES BASED UPON STRICT LIABILITY, NEGLIGENCE, OR IMPLIED WARRANTY IN LAW.**

This warranty is the only warranty made by Seller. The Purchaser's sole remedy for a breach of this warranty or any defect in a part is the repair or replacement of helicopter parts as provided herein. Seller excludes liability, whether as a result of a breach of contract or warranty, negligence or strict product liability, for incidental or consequential damages, including without limitation, damage to the helicopter or other property, costs and expenses resulting from required changes or modifications to helicopter components and assemblies, changes in retirement lives and Overhaul periods, local customs fees and taxes, and costs or expenses for commercial losses or lost profits due to loss of use or grounding of helicopters or otherwise. Seller makes no warranty and disclaims all liability in contract or in tort (delict), including, without limitation, negligence and strict tort (delictual) liability, with respect to work performed by third parties at Purchaser's request and with respect to engines, engine accessories, batteries, radios, and avionics, except Seller assigns each manufacturer's warranty to Purchaser to the extent such manufacturer's warranty exists and is assignable. This warranty shall not apply to any helicopter part which has been repaired or altered outside Seller's factory in any way so as, in Seller's judgment, to affect its stability, safety or reliability, or which has been subject to misuse, negligence or accident, or which has been installed in any aircraft which has been destroyed unless that helicopter has been rebuilt by Seller. A list of destroyed aircraft is obtainable from Seller's Product Support. Repairs and alterations which use or incorporate parts and components other than genuine Seller's parts or parts approved by Seller's for direct acquisition from sources other than Seller's itself are not warranted by Seller's, and this warranty shall be void to the extent that such repairs and alterations, in Seller's sole judgment, affect the stability, safety or reliability of the helicopter or any part thereof, or damage genuine Seller's or Seller's-approved parts. No person, corporation, or organization, including Seller's Customer Service Facilities, is authorized by Seller to assume for it any other liability in connection with the sale of its helicopter parts.

**NO STATEMENT, WHETHER WRITTEN OR ORAL, MADE BY ANY PERSON, CORPORATION OR ORGANIZATION, INCLUDING SELLER'S CUSTOMER SERVICE FACILITIES MAY BE TAKEN AS A WARRANTY NOR WILL IT BIND SELLER.**

Seller makes no warranty and disclaims all liability with respect to components or parts damaged by, or worn due to, corrosion. Seller makes no warranty and disclaims all liability for consumables (wear items) which are defined as items required for normal and routine maintenance or replaced at scheduled intervals shorter than the warranty period. "Consumables" include but are not limited to engine and hydraulic oil, oil filters, packings and o-rings, anti-corrosion and/or sealing compounds, brush plating material, nuts, bolts, washers, screws, fluids, compounds, and standard aircraft hardware that is readily available to aircraft operators from sources other than Seller. All legal actions based upon claims or disputes pertaining to or involving this warranty including, but not limited to, Seller's denial of any claim or portion thereof under this warranty, must be filed in the courts of general jurisdiction of Desoto County, Florida or in the United States District Court for the District of Florida. In the event that Purchaser files such an action in either of the court systems identified above, and a final judgment in Seller's favor is rendered by such court, then Purchaser shall indemnify Seller for all costs, expenses and attorneys' fees incurred by Seller in defense of such claims. In the event Purchaser files such a legal action in a court other than those specified, and Seller successfully obtains dismissal of that action or transfer thereof to the above described court systems, then Purchaser shall indemnify Seller for all costs, expenses and attorneys' fees incurred by Seller in obtaining such dismissal or transfer.